




LIGHT BOXES AND ILLUMINATED DISPLAYS




LIGHT BOX EXTRUSION AND LIGHT BOX ROUNDS DESIGNED BY ORES, JANUARY 1997




All electric components in compliance with CE standards. Backlit by T8 flourescent tubes. Single or double sided upon your request. Anti-glare PVC sheets. Each frame is packed in individual double wall carton boxes with corrugated corner supports.

EXTRUSION: Silver color (anodised) aluminium					
FRAME PROFILE: 28 mm - 32 mm					
ITEM CODE		INSERT SIZE	VISIBLE AREA	EXTERNAL SIZE (Y*X)	ILLUMINATION
SINGLE SIDE	DOUBLE SIDE				
LBCS R 32 050070	LBCD R 32 050070	(B2) 500 x 700 mm	480 x 680 mm	544 x 744 mm	3 x 18 Watt
LBCS R 32 060084	LBCD R 32 060084	(A1) 594 x 841 mm	575 x 821 mm	638 x 885 mm	4 x 18 Watt
LBCS R 32 070100	LBCD R 32 070100	(B1) 700 x 1000 mm	680 x 980 mm	744 x 1044 mm	4 x 30 Watt




LIGHT BOX EXTRUSION DESIGNED BY ORES, JANUARY 1997




EXTRUSION: Silver color (anodised) aluminium					
FRAME PROFILE: 28 mm - 32 mm					
ITEM CODE		INSERT SIZE	VISIBLE AREA	EXTERNAL SIZE (Y*X)	ILLUMINATION
SINGLE SIDE	DOUBLE SIDE				
LBCS S 32 050070	LBCD S 32 050070	(B2) 500 x 700 mm	480 x 680 mm	544 x 744 mm	3 x 18 Watt
LBCS S 32 060084	LBCD S 32 060084	(A1) 594 x 841 mm	575 x 821 mm	638 x 885 mm	4 x 18 Watt
LBCS S 32 070100	LBCD S 32 070100	(B1) 700 x 1000 mm	680 x 980 mm	744 x 1044 mm	4 x 30 Watt


All electric components in compliance with CE standards. Backlit by T8 flourescent tubes. Single or double sided upon your request. Anti-glare PVC sheets. Each frame is packed in individual double wall carton boxes with corrugated corner supports.



All electric components in compliance with CE standards.
Backlit by T5 flourescent tubes.
Homogeneous lighting.
Single side with mitred corner snap frames.
Only 65 mm deep.
Anti-glare PVC sheets.
Each frame is packed in individual double wall carton boxes with corrugated corner supports.



EXTRUSION: Silver color (anodised) aluminium				
FRAME PROFILE: 40 mm				
ITEM CODE	INSERT SIZE	VISIBLE AREA	EXTERNAL SIZE (Y*X)	ILLUMINATION
SINGLE SIDE				
SLBS 40 050070	(B2) 500x700 mm	472 x 672 mm	550 x 750 mm	3 x 14 Watt
SLBS 40 060084	(A1) 594x841 mm	566 x 813 mm	644 x 891 mm	3 x 39 Watt
SLBS 40 070100	(B1) 700x1000 mm	672 x 972 mm	750 x 1050 mm	4 x 39 Watt




EXTRUSION: Silver color (anodised) aluminium				
FRAME PROFILE: 28 / 32 mm				
ITEM CODE	INSERT SIZE	VISIBLE AREA	Y*X*Z	ILLUMINATION
LBD 28 042060	(A2) 420 x 594 mm	412 x 594 mm	421 x 600 x 97 mm	1 x 15 W
LBD 28 050070	(B2) 500 x 700 mm	492 x 700 mm	497 x 706 x 110 mm	2 x 18 W
LBD 28 060084	(A1) 594 x 841 mm	586 x 841 mm	587 x 847 x 134 mm	2 x 18 W
LBD 28 070100	(B1) 700 x 1000 mm	692 x 1000 mm	689 x 1006 x 141 mm	2 x 30 W

Light Box Delta is a high quality lightbox with snap open profiles for easy poster changes.. Elegance with 3D effect. Suitable for use in both portrait and landscape position. Completely ready for connection. Double-sided version on request.






ENERGY CONSUMPTION TABLE			
POSTER SIZE	CONSUMPTION BY T8 TUBES	CONSUMPTION BY LEDS	ANNUAL SAVING
500 X 700 mm	54 watt	11 watt	188 KW
594 X 841 mm	72 watt	13.4 watt	256 KW
700 X 1000 mm	120 watt	16 watt	455 KW

Based on 365 days x 12 hours utilization.



Perfect illumination by double-chip leds, no dark spots. Single or double sided upon request. Ceiling hanging accessories supplied with the double sided version. 2 meters power cord and plug. Each frame is packed in individual double wall carton boxes with corrugated corner supports.

EXTRUSION: Silver color (anodised) aluminium					
FRAME PROFILE: 46 mm					
ITEM CODE		INSERT SIZE	ILLUMINATION	VISIBLE AREA	EXTERNAL SIZE
SINGLE SIDE	DOUBLE SIDE				
LLB S 46 050070	LLB D 46 050070	(B2) 500 x 700 mm	2600-3400 LUX	475 x 678 mm	565 x 768 mm
LLB S 46 060084	LLB D 46 060084	(A1) 594 x 841 mm	2200-3000 LUX	580 x 818 mm	670 x 908 mm
LLB S 46 070100	LLB D 46 070100	(B1) 700 x 1000 mm	1800-2300 LUX	678 x 978 mm	768 x 1068 mm




EXTRUSION: Silver color (anodised) aluminium				
FRAME PROFILE: 30 mm				
ITEM CODE	INSERT SIZE	ILLUMINATION	VISIBLE AREA	EXTERNAL SIZE
SINGLE SIDE				
LLB S 30 Q21030	(A4) 210 x 297 mm	3200-4200 LUX	180 x 267 mm	241 x 328 mm
LLB S 30 Q30042	(A3) 297 x 420 mm	3000-4000 LUX	267 x 390 mm	328 x 451 mm
LLB S 30 Q35050	(B3) 350 x 500 mm	2900-3800 LUX	320 x 470 mm	381 x 531 mm
LLB S 30 Q42060	(A2) 420 x 594 mm	2800-3600 LUX	390 x 564 mm	451 x 625 mm
LLB S 30 Q50070	(B2) 500 x 700 mm	2600-3400 LUX	470 x 670 mm	531 x 731 mm
LLB S 30 Q60084	(A1) 594 x 841 mm	2200-3000 LUX	564 x 811 mm	625 x 872 mm
LLB S 30 Q70100	(B1) 700 x 1000 mm	1800-2300 LUX	670 x 970 mm	731 x 1031 mm


Perfect illumination by double-chip LEDs, no dark areas.
CE listed electrical components.
Low voltage requirements (12 volt).
More durable than traditional fluorescent light boxes
Slimline profile with easy to use clip frame.



LED Backlit Light Box powered by LED technology with adequate brightness and little maintenances offers bright and uniform illumination with NO hot spots or shadows.
High brightness and long life-span waterproof LEDs.
Much light in weight.
Much safe for installation.
Easy-fixing.




EXTRUSION: Silver color (anodised) aluminium			
FRAME PROFILE: 40 mm			
ITEM CODE	INSERT SIZE	VISIBLE AREA	EXTERNAL SIZE (Y*X)
SINGLE SIDE			
SLBS 40 050070 LED	(B2) 500x700 mm	472 x 672 mm	550 x 750 mm
SLBS 40 050070 LED	(A1) 594x841 mm	566 x 813 mm	644 x 891 mm
SLBS 40 050070 LED	(B1) 700x1000 mm	672 x 972 mm	750 x 1050 mm







EXTRUSION: Silver color (anodised) aluminium			
ITEM CODE	CAPACITY	VISIBLE AREA	EXTERNAL SIZE (Y*X)
NBS Y1 D1 WP LED	1 A4	250 x 340 mm	328 x 418 mm
NBS Y1 D2 WP LED	2 A4	250 x 660 mm	328 x 738 mm
NBS Y2 D1 WP LED	2 A4	480 x 340 mm	558 x 418 mm
NBS Y2 D2 WP LED	4 A4	480 x 660 mm	558 x 738 mm

Our LED Illuminated Menu Case/Notice Board is a stylish and secure illuminated poster display solution. Durable aluminium frame with vandal resistant acrylic glazing panel. Enables easy installation in any location. Supplied with complete set of keys. Suitable for indoor and outdoor use. Fully recyclable aluminium frames and acrylic glazing panels. LED illumination - bright and long-lasting. Low voltage - very low running costs and completely safe. Weather resistant. No need for qualified electrician to install.





Free standing illuminated display.
Easy access to your poster by
28 or 32 mm snap frames with round
corners.
All electric components in
compliance with CE standards.
Backlit by T8 fluorescent tubes.
Single or double sided upon your request.
Eye catching with 1740 mm height.
Anti-glare PVC sheet provides clear outlook.

EXTRUSION: Silver color (anodised) aluminium				
FRAME PROFILE: 28 mm - 32 mm				
ITEM CODE		INSERT SIZE	VISIBLE AREA	ILLUMINATION
SINGLE SIDE	DOUBLE SIDE			
LBSS 32E 050070	LBSD 32E 050070	(B2) 500 x 700 mm	480 x 680 mm	3 x 18 Watt
LBSS 32E 060084	LBSD 32E 060084	(A1) 594 x 841 mm	575 x 821 mm	4 x 18 Watt
LBSS 32E 070100	LBSD 32E 070100	(B1) 700 x 1000 mm	680 x 980 mm	4 x 30 Watt




EXTRUSION: Silver color (anodised) aluminium				
FRAME PROFILE: 28 mm - 32 mm				
ITEM CODE		INSERT SIZE	VISIBLE AREA	ILLUMINATION
SINGLE SIDE	DOUBLE SIDE			
LBR3 32E 050070	LBRD 32E 050070	(B2) 500 x 700 mm	480 x 680 mm	3 x 18 Watt
LBR3 32E 060084	LBRD 32E 060084	(A1) 594 x 841 mm	575 x 821 mm	4 x 18 Watt
LBR3 32E 070100	LBRD 32E 070100	(B1) 700 x 1000 mm	680 x 980 mm	4 x 30 Watt

Free standing illuminated display. Easy access to your poster by 28 or 32 mm snap frames with round corners. All electric components in compliance with CE standards. Backlit by T8 fluorescent tubes. Single or double sided upon your request. Eye catching with 1740 mm height. Anti-glare PVC sheet provides clear outlook.



Ideal for high traffic areas to create attention to your message. Illuminated by T8 flourescent tubes. Ensured stability with 6 mm thick powder coated steel baseplate with plastic bumpers. All electric components in compliance with CE standarts. Elegant with the decorative brushed aluminium panel.

EXTRUSION: Silver color (anodised) aluminium				
FRAME PROFILE: 46 mm				
ITEM CODE	INSERT SIZE	VISIBLE AREA	EXTERNAL SIZE (Y1*Y2)	ILLUMINATION
ESLD 050070	(B2) 500 x 700 mm	470 x 700 mm	556 x 286 mm	2 x 30 Watt
ESLD 060084	(A1) 594 x 841 mm	564 x 841 mm	654 x 337 mm	2 x 30 Watt
ESLD 070100	(B1) 700 x 1000 mm	670 x 1000 mm	759 x 337 mm	2 x 30 Watt




EXTRUSION: Silver color (anodised) aluminium				
FRAME PROFILE: 46 mm				
ITEM CODE	INSERT SIZE	VISIBLE AREA	EXTERNAL SIZE (Y1*Y2)	ILLUMINATION
ESLD 050170	500 x 1682 mm	480 x 1682 mm	556 x 286 mm	2 X 58 Watt
ESLD 060170	594 x 1682 mm	575 x 1682 mm	654 x 337 mm	2 X 58 Watt
ESLD 070170	700 x 1682 mm	680 x 1682 mm	759 x 337 mm	2 X 58 Watt

Ideal for high traffic areas to create attention to your message. Illuminated by T8 flourescent tubes. Ensured stability with 6 mm thick powder coated steel baseplate with plastic bumpers. All electric components in compliance with CE standarts.




DESIGNED BY ORES, JUNE 1997





A classic design with flute light.
Illuminated by 2x15watt halogen lamps or LED light.
8 mm thick brushed aluminium base plate.
Flat packed with assembly instructions to save space.

EXTRUSION: Silver color (anodised) aluminium			
ITEM CODE	FRAME TYPE	INSERT SIZE	VISIBLE AREA (B*A)
MB2RF 32EP 042030	Round	(A3) 420 x 297 mm	400 x 277 mm
MB2RF 32EP 050035	Round	(B3) 500 x 350 mm	480 x 330 mm



Menu Stand with ring binder mechanism for A4 pages.
Illumination with LED flute light.
Transparent acrylic shelf catching the eye level.
Ideal for menus and price lists.
Suitable for indoor use with a heavy steel base.
Logo topper versions available upon request.

EXTRUSION: Silver color (anodised) aluminium		
ITEM CODE	VISIBLE AREA	EXTERNAL SIZE (Y*X)
RBMB 042030LED	2 A4	460 x 320 x 1000 mm



LED edge-lit lockable Menu Cases each with a magnetic back panel.
Lockable door with 4mm acrylic glass.
Bright LED light source.
Silver anodised finish.
Complete with LED lights for an eye catching illuminated display.

EXTRUSION: Silver color (anodised) aluminium				
ITEM CODE	CAPACITY	VISIBLE AREA	EXTERNAL SIZE (Y*X)	LOCK
MB2NBS 056042LED	2 A4	480 x 340 mm	558 x 418 mm	1